

Manufacture & Exporter of Brass Components

BRASS ANCHORS



Threads	ISO metric (MM Threads) BA Threads BSW Threads UNC & UNF Threads As per Customers Requirements
Material	IS 319 Brass Free Cutting As per BS-249 Free cutting Brass Material High Grade Free Cutting Any Special Brass Material Composition on Request
Length, Size, Platting	Size: M4 M5 M6 M8 M12 M14 Natural, Nickle Plated, Silver Plated, Tin Plated Any Kind of Brass Anchors can be developed as per customers Specifications



Manufacture & Exporter of Brass Components

BRASS AUTO PARTS



Material:	Free Cutting Brass IS 319 type (i) or Free Cutting Brass as per BS 249 type (i) or High Grade Free Cutting Brass or Any special Brass Material Composition as per customers requirement
Threads:	ISO Metric (MM Threads).
Finish And Coating:	Natural, Nickle Plated or any coating as per customer specification.



Manufacture & Exporter of Brass Components

BRASS CABLE GLANDS



A1-A2 Cable Gland

16 mm to 110 mm S & L

Manufactured in brass to comply with the specifications and requirement of BS 6121. Suitable for use on rubber or plastic, un-armoured cable providing an IP66 dust and moisture seal on the outer sheath of cable.



BW2 Cable Gland

20 mm to 90 mm S & L

Use with SWA, plastic and rubber (Elastomer) sheathed cables. Used in dry indoor application for armoured cable.



Manufacture & Exporter of Brass Components

BRASS ANCHORS



Threads	ISO metric (MM Threads) BA Threads BSW Threads UNC & UNF Threads As per Customers Requirements
Material	IS 319 Brass Free Cutting As per BS-249 Free cutting Brass Material High Grade Free Cutting Any Special Brass Material Composition on Request
Length, Size, Platting	Size: M4 M5 M6 M8 M12 M14 Natural, Nickle Plated, Silver Plated, Tin Plated Any Kind of Brass Anchors can be developed as per customers Specifications



Manufacture & Exporter of Brass Components



E1W Cable Gland

10 mm to 50 mm

This all weather gland effects IP66 seals between the cable outer sheath and the gland nut and between the cable inner sheath and the gland body.



Marine Cable Gland

10 mm to 70 mm

Used for various marine applications.



PG Cable Gland

PG 7 to PG 48

To DIN 46320/46255 available with strain relief facility with round or hex intermediate sockets and long and short anti threads. Used indoor conditions inner ring frames positive armour clamp an earth continuity.

Material is brass and nickel plated.



Manufacture & Exporter of Brass Components

BRASS COMPRESSION FITTINGS



Tube Sizes	6MM 8mm 10mm 12mm 15mm 16mm 22mm 28mm 1/8" 1/4" 3/8" 1/2" 3/4" "1"
Threads	UNF,UNEF,NPTF,BSP,BSPT
Pipes	To suit Copper pipes Nylon pipes,PEX pipes and Automotive pipes. Compression fittings are with olives



Manufacture & Exporter of Brass Components

BRASS INSERTS & BUSH



Threads	ISO metric (MM Threads) BA Threads BSW Threads UNC & UNF Threads As per Customers Requirements
Material	IS 319 Brass Free Cutting As per BS-249 Free cutting Brass Material High Grade Free Cutting Any Special Brass Material Composition on Request
Length, Size, Platting	Natural, Nickle Plated, Silver Plated, Tin Plated Any Kind of Brass Nuts & Bolts can be developed as per customers Specifications



Manufacture & Exporter of Brass Components

BRASS NUT & BOLTS



Threads	ISO metric (MM Threads) BA Threads BSW Threads UNC & UNF Threads As per Customers Requirements
Material	IS 319 Brass Free Cutting As per BS-249 Free cutting Brass Material High Grade Free Cutting Any Special Brass Material Composition on Request
Length, Size, Platting	Natural, Nickle Plated, Silver Plated, Tin Plated Any Kind of Brass Nuts & Bolts can be developed as per customers Specifications



Manufacture & Exporter of Brass Components

BRASS PRECISION COMPONENTS



Materials	Brass to BS 2874 / 2872
Finish	Brass natural, Electro-Tinned, Nickel etc.
Threads	ISO Metric, BSW, BA, BSF, UNC, UNF UNEF etc.
Size	2mm 3mm 4mm 5mm 6mm 8mm 10mm 12mm 16mm 20mm 25mm 32mm 1/8" 5/32" 3/16" 1/4" 5/16" 3/8" 1/2" 5/8" 3/4" 1" 11/8" 11/4" 11/2" 13/4" 2"



Manufacture & Exporter of Brass Components

BRASS TURNED COMPONENTS



Threads	ISO metric (MM Threads) BA Threads BSW Threads UNC & UNF Threads As per Customers Requirements
Material	IS 319 Brass Free Cutting As per BS-249 Free cutting Brass Material High Grade Free Cutting Any Special Brass Material Composition on Request
Length, Size, Platting	Natural, Nickle Plated, Silver Plated, Tin Plated Any Kind of Brass Turned Components can be developed as per customers Specifications



Manufacture & Exporter of Brass Components

CONTACT US



Address:

PLOT NO.: 3528, G - ROAD, G.I.D.C., PHASE III, DARED,

Jamnagar - 361004 Gujarat - INDIA



Prashant T. Santoki

Cell: +91 - 95586 00705



E-mail:

info@tulsibrass.com marketing@tulsibrass.com